

TEXTILE WOVEN WALLCOVERING COLLECTION

HOSPITALITY | COMMERCIAL | RETAIL | RESIDENTIAL

INTRODUCTION

Textile plays an important role nowadays in interiors. As 'luxury' becomes synonymous with comfort and wellbeing, we're returning to the essence of our relationship with textiles as a sort of second skin – a mediator between our bodies and the environment, it is soft in touch, and also it needs to be functional for contract application.

We are experienced in working with natural fibers including linen, silk, wool, and cotton. Our textile qualities are shaped with a great number of finishing possibilities: dyeing, conventional, digital printing, embossing, flock, laser cutting, crushing, tumbling, brushing, laminating and the application of different coatings and metallics.





DERIVED FROM NATURE

FROM NATURE TO WALL

We are experienced in working with natural fibers including linen, silk, wool, and cotton. The collection offers a highly sophisticated take on organic materials: a premium-quality, durable wallcovering that will stand the test of time.



PUSH BEYOND BOUNDARIES

BEAUTIFUL & FUNCTIONAL

We creatively apply Lyocell fiber to be products in our latest collection. Derived from nature, the fiber is produced with sustainable wood, under a production process that has low consumption on water and chemicals.



OBSESSION ON PERFECTION

DETAILS CRAFTSMANSHIP


We are obsessed to explore new techniques and technologies.
We source the latest yarn which has the potential in the design trend,
we adjust our machines to adapt different production requirements.



WATER RESISTANT FINISH


EASY TO MAINTAIN

As part of the finishing process, textile wallcovering can be finished with some level of protective coating. This water-resistant finish provides a level of protection against liquid absorption and spills and makes it easy to maintain.





YD2809




YD1803



YD1806



YD2604



YD2628



YD1801



YD2602



YD2601



YD4102



YD2807



YD2603




YE1803



YD2609




YD2610



YD1802

YD1803	280 cm = 110 inch / 137 cm = 54 inch	35% Acrylic, 65% Polyester 25%
YD1806	280 cm = 110 inch / 137 cm = 54 inch	Viscose, 75% Polyester 100% Polyester
YD2628	280 cm = 110 inch / 137 cm = 54 inch	15% Wool, 60% Acrylic, 25% Polyester
YD1801	280 cm = 110 inch / 137 cm = 54 inch	Linen Polyester Cotton, Linen Cotton,
YD2601	280 cm = 110 inch / 137 cm = 54 inch	Linen Cotton, Linen Polyester Polyester
YD4102	280 cm = 110 inch / 137 cm = 54 inch	Polyester 10% P, 10% N, 15% W, 20%
YD2604	280 cm = 110 inch / 137 cm = 54 inch	A, 45% V 15% Wool, 60% Acrylic, 25%
YD2603	280 cm = 110 inch / 137 cm = 54 inch	Polyester
YD2602	280 cm = 110 inch / 137 cm = 54 inch	
YD2809	280 cm = 110 inch / 137 cm = 54 inch	
YD2807	280 cm = 110 inch / 137 cm = 54 inch	
YD2610	280 cm = 110 inch / 137 cm = 54 inch	
YE1803	137 cm = 54 inch 280 cm = 110 inch /	
YD1802	137 cm = 54 inch	

- * A stain repellent finish prevents water based splashes penetrating and staining the material.
- * Periodic vacuuming is recommended to prevent dust from building up on the materials surface.
- * GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.
- * Fire rating: ASTM E84 Class A and ES 13501 Class B available.
- * Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.
- * The display of color depends on the settings, resolution and on the light of the surroundings.



YD2614



YD2605



YD2611



YD1817



YD4103



YD4104



YD2607




YD2614




YD2612



YD1808




YD2608




YD2630



YD2606



YD2613



YD2609

YD2605	280 cm = 110 inch / 137 cm = 54 inch	Linen
YD2611	280 cm = 110 inch / 137 cm = 54 inch	Linen
YD4103	280 cm = 110 inch / 137 cm = 54 inch	100% Polyester Polyester
YD2607	280 cm = 110 inch / 137 cm = 54 inch	Polyester 40% Viscose, 60%
YD2614	280 cm = 110 inch / 137 cm = 54 inch	Polyester 40% Viscose, 60%
YD1817	280 cm = 110 inch / 137 cm = 54 inch	Polyester 100% Polyester
YD1808	280 cm = 110 inch / 137 cm = 54 inch	100% Polyester 100%
YD4104	280 cm = 110 inch / 137 cm = 54 inch	Polyester 100% Polyester
YD2606	280 cm = 110 inch / 137 cm = 54 inch	Cotton, Linen Cotton, Linen
YD2612	280 cm = 110 inch / 137 cm = 54 inch	100% Polyester
YD2613	280 cm = 110 inch / 137 cm = 54 inch	
YD2608	280 cm = 110 inch / 137 cm = 54 inch	
YD2630	280 cm = 110 inch / 137 cm = 54 inch	
YD2609	280 cm = 110 inch / 137 cm = 54 inch	

* A stain repellent finish prevents water based splashes penetrating and staining the material.

* Periodic vacuuming is recommended to prevent dust from building up on the materials surface.

* GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.

* Fire rating: ASTM E84 Class A and ES 13501 Class B available.

* Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.

* The display of color depends on the settings, resolution and on the light of the surroundings.



YD2803



YD2617




YD1603



YD2810




YD2803



YD2802



YD1610




YD2806



YD2629




YD1814



YD2801



YD2808



YD1606

280 cm = 110 inch / 137

Polyester

YD2617	cm = 54 inch	Polyester
YD2803	280 cm = 110 inch / 137 cm = 54 inch	Polyester
YD2802	280 cm = 110 inch / 137 cm = 54 inch	Cotton
YD1603	280 cm = 110 inch / 137 cm = 54 inch	Polyester
YD2806	280 cm = 110 inch / 137 cm = 54 inch	Polyester Polyester Cotton Polyester
YD2810	280 cm = 110 inch / 137 cm = 54 inch	100% Polyester 15% W, 15% A, 10%
YD2801	280 cm = 110 inch / 137 cm = 54 inch	V, 15% P, 45% P Cotton
YD1610	290 cm = 114 inch / 137 cm = 54 inch	
YD2808	280 cm = 110 inch / 137 cm = 54 inch	
YD2629	280 cm = 110 inch / 137 cm = 54 inch	
YD1814	280 cm = 110 inch / 137 cm = 54 inch	
YD1606	280 cm = 110 inch / 137 cm = 54 inch	

* A stain repellent finish prevents water based splashes penetrating and staining the material.

* Periodic vacuuming is recommended to prevent dust from building up on the materials surface.

* GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.


* Fire rating: ASTM E84 Class A and ES 13501 Class B available.

* Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.


* The display of color depends on the settings, resolution and on the light of the surroundings.




YD2804




YD1601




YD2804




YD1615



YE1811




YD2621



YD1602



YD2623



YD1607



YD1820



YD1810




YD1819



YD2612

YD1601	290 cm = 114 inch / 137 cm = 54 inch	Cotton Polyester 50% Gold Yarn, 12%
YD2804	280 cm = 110 inch / 137 cm = 54 inch	Viscose, 38% Polyester Cotton 100%
YE2811	137 cm = 54 inch 280 cm = 110 inch /	Polyester 100% Polyester Cotton Cotton
YD1615	137 cm = 54 inch 280 cm = 110 inch /	15% Wool, 60% Acrylic, 25% Polyester 35%
YD2623	137 cm = 54 inch 280 cm = 110 inch /	Acrylic, 65% Polyester 15% Wool, 60%
YD2621	137 cm = 54 inch 280 cm = 110 inch /	Acrylic, 25% Polyester Polyester
YD1607	137 cm = 54 inch 280 cm = 110 inch /	
YD1602	137 cm = 54 inch 280 cm = 110 inch /	
YD1810	137 cm = 54 inch 280 cm = 110 inch /	
YD1820	137 cm = 54 inch 280 cm = 110 inch /	
YD1819	137 cm = 54 inch 280 cm = 110 inch /	
YD2812	137 cm = 54 inch	

- * A stain repellent finish prevents water based splashes penetrating and staining the material.
- * Periodic vacuuming is recommended to prevent dust from building up on the materials surface.
- * GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.
- * Fire rating: ASTM E84 Class A and ES 13501 Class B available.
- * Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.
- * The display of color depends on the settings, resolution and on the light of the surroundings.



YD2818



YD1813




YD1821



YD1812



YD2625




YD1612



YD1613




YD2622




YD1824



YD1809



YE1817



YD1818


	280 cm = 110 inch / 137	15% W, 15% A, 10% V,
YD1813	cm = 54 inch	10% P, 45% P
YD1821	280 cm = 110 inch / 137 cm = 54 inch	15% Wool, 60% Acrylic, 25% Polyester
YD2625	280 cm = 110 inch / 137 cm = 54 inch	100% Polyester Cotton Cotton 40%
YD1612	280 cm = 110 inch / 137 cm = 54 inch	Viscose, 60% Polyester 100% Polyester
YD1613	280 cm = 110 inch / 137 cm = 54 inch	15% Wool, 60% Acrylic, 25% Polyester
YD1812	280 cm = 110 inch / 137 cm = 54 inch	15% Wool, 60% Acrylic, 25% Polyester
YD2622	280 cm = 110 inch / 137 cm = 54 inch	40% Viscose, 60% Polyester 4% N,
YD1818	280 cm = 110 inch / 137 cm = 54 inch	10% A, 14% P, 18% W, 54% S,
YD1824	280 cm = 110 inch / 137 cm = 54 inch	
YD1809	280 cm = 110 inch / 137 cm = 54 inch	
YD1817	137 cm = 54 inch	

- * A stain repellent finish prevents water based splashes penetrating and staining the material.
- * Periodic vacuuming is recommended to prevent dust from building up on the materials surface.
- * GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.
- * Fire rating: ASTM E84 Class A and ES 13501 Class B available.
- * Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.
- * The display of color depends on the settings, resolution and on the light of the surroundings.




YD1804





YD2618



YD2811



YD1804



YD2619




YD2631




YD1604



YD2624




YD4101



YD2620



YD1307



YD2627



YD1611

YD2618	280 cm = 110 inch / 137 cm = 54 inch	100%	Polyester	Polyester
YD2619	280 cm = 110 inch / 137 cm = 54 inch	Polyester	Polyester	25%
YD2811	280 cm = 110 inch / 137 cm = 54 inch	Viscose,	75%	Polyester
YD2631	280 cm = 110 inch / 137 cm = 54 inch	Cotton	100%	Polyester
YD1804	280 cm = 110 inch / 137 cm = 54 inch	Polyester	Polyester,	Viscose
YD1604	280 cm = 110 inch / 137 cm = 54 inch	Linen Cotton	Cotton	
YD2624	280 cm = 110 inch / 137 cm = 54 inch			
YD2620	280 cm = 110 inch / 137 cm = 54 inch			
YD4101	280 cm = 110 inch / 137 cm = 54 inch			
YD2627	280 cm = 110 inch / 137 cm = 54 inch			
YD1307	290 cm = 114 inch / 137 cm = 54 inch			
YD1611	290 cm = 114 inch / 137 cm = 54 inch			


- * A stain repellent finish prevents water based splashes penetrating and staining the material.
- * Periodic vacuuming is recommended to prevent dust from building up on the materials surface.
- * GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.
- * Fire rating: ASTM E84 Class A and ES 13501 Class B available.
- * Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.
- * The display of color depends on the settings, resolution and on the light of the surroundings.



YE1813



YD1825




YE1813




YD2626



YD2615




YD1605




YD1614



YD1816




YD1823



YE1807



YE1818



YD1609

YD1825	280 cm = 110 inch / 137 cm = 54 inch	5% Linen, 15% Viscose, 80% Polyester
YE1813	137 cm = 54 inch 280 cm = 110 inch /	10% P, 10% N, 10% W, 20% A, 45% V
YD2615	137 cm = 54 inch 290 cm = 114 inch /	100% Polyester Cotton Cotton Polyester
YD1605	137 cm = 54 inch 290 cm = 114 inch /	25% Viscose, 75% Polyester 25%
YD1614	137 cm = 54 inch 280 cm = 110 inch /	Viscose, 75% Polyester 10% P, 10% N,
YD2626	137 cm = 54 inch 280 cm = 110 inch /	10% W, 20% A, 45% V 10% P, 10% N,
YD1823	137 cm = 54 inch 280 cm = 110 inch /	10% W, 20% A, 45% V Cotton
YD1816	137 cm = 54 inch 137 cm = 54 inch	
YE1807	137 cm = 54 inch 280 cm = 110 inch /	
YE1818	137 cm = 54 inch	
YD1609		

- * A stain repellent finish prevents water based splashes penetrating and staining the material.
- * Periodic vacuuming is recommended to prevent dust from building up on the materials surface.
- * GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.
- * Fire rating: ASTM E84 Class A and ES 13501 Class B available.
- * Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.
- * The display of color depends on the settings, resolution and on the light of the surroundings.





YE1805



YD1832



YE1804



YD1302



YD1301



YE1801



YD1805




YE1802




YD1807



YE1815



YE1806




YE1814

YD1805	290 cm = 114 inch / 137 cm = 54 inch	8% Linen, 22% Polyester, 29% Cotton, 41% Viscose
YD1832	280 cm = 110 inch / 137 cm = 54 inch	8% Linen, 22% Polyester, 29% Cotton, 41% Viscose
YD1302	290 cm = 114 inch / 137 cm = 54 inch	Cotton 5% Wool, 35% Acrylic, 60% Polyester 10%
YE1804	137 cm = 54 inch 137 cm = 54 inch	Viscose, 37% Viscose, 53% Polyester Cotton 15%
YE1805	290 cm = 114 inch / 137 cm = 54 inch	Wool, 60% Acrylic, 25% Polyester 6% Linen, 10%
YD1301	137 cm = 54 inch 137 cm = 54 inch	Acrylic, 18% Viscose, 66% Polyester 8% Linen, 22%
YE1802	280 cm = 110 inch / 137 cm = 54 inch	Polyester, 29% Cotton, 41% Viscose 10% Linen, 37%
YE1801	137 cm = 54 inch 137 cm = 54 inch	Viscose, 53% Polyester 10% Viscose, 25% Acrylic,
YD1807	137 cm = 54 inch	65% Polyester 8% Linen, 10% Acrylic, 18% Viscose,
YE1815		64% Polyester
YE1806		
YE1814		


- * A stain repellent finish prevents water based splashes penetrating and staining the material.
- * Periodic vacuuming is recommended to prevent dust from building up on the materials surface.
- * GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.
- * Fire rating: ASTM E84 Class A and ES 13501 Class B available.
- * Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.
- * The display of color depends on the settings, resolution and on the light of the surroundings.




YD1305




YE1812




YD1608



YD1303




YD1306




YD1815




YD2805




YD1304



YE1808



YE1810



YD1822



YD1305




YE1809

YE1812	137 cm = 54 inch 290 cm = 114 inch /	5% Wool, 35% Acrylic, 60% Polyester
YD1306	137 cm = 54 inch 137 cm = 54 inch	Cotton 5% Linen, 15% Viscose, 80%
YD1815	280 cm = 110 inch / 137 cm = 54 inch	Polyester 30% PE, 70% Polyester Fibre
YD1608	280 cm = 110 inch / 137 cm = 54 inch	100% Polyester Cotton 5% Linen, 15%
YD1304	290 cm = 114 inch / 137 cm = 54 inch	Viscose, 80% Polyester 100% Polyester
YD1303	280 cm = 110 inch / 137 cm = 54 inch	Cotton 10% Linen, 37% Viscose, 53%
YD1822	280 cm = 110 inch / 137 cm = 54 inch	Polyester 10% Linen, 37% Viscose, 53%
YD2805	290 cm = 114 inch / 137 cm = 54 inch	Polyester 10% Linen, 37% Viscose, 53%
YD1305	137 cm = 54 inch 137 cm = 54 inch	Polyester
YE1808	137 cm = 54 inch	
YE1810		
YE1809		


- * A stain repellent finish prevents water based splashes penetrating and staining the material.
- * Periodic vacuuming is recommended to prevent dust from building up on the materials surface.
- * GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.
- * Fire rating: ASTM E84 Class A and ES 13501 Class B available.
- * Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.
- * The display of color depends on the settings, resolution and on the light of the surroundings.




YD1308




YE1821



YD1308




YD1828



YD1309




YE1816



YE1820



YD1831




YD1829



YD1830



YD1827



YE1819

YE 1821	137 cm = 54 inch 290 cm = 114 inch /	10% Viscose, 25% Acrylic, 65% Polyester
YD1308	137 cm = 54 inch 280 cm = 110 inch /	25% Viscose, 75% Polyester
YD1828	137 cm = 54 inch 137 cm = 54 inch	5% Linen, 15% Viscose, 80% Polyester
YE1816	137 cm = 54 inch 290 cm = 114 inch /	8% Linen, 10% Acrylic, 18% Viscose, 64% Polyester
YE1820	137 cm = 54 inch 280 cm = 110 inch /	8% Wool, 35% Acrylic, 57% Polyester
YD1309	137 cm = 54 inch 137 cm = 54 inch	Cotton
YD1831	280 cm = 110 inch / 137 cm = 54 inch	35% Acrylic, 65% Polyester
YE1819	280 cm = 110 inch / 137 cm = 54 inch	8% Linen, 10% Acrylic, 18% Viscose, 64% Polyester
YD1829	280 cm = 110 inch / 137 cm = 54 inch	5% Linen, 15% Viscose, 80% Polyester
YD1830		35% Acrylic, 65% Polyester
YD1827		8% Linen, 22% Polyester, 29% Cotton, 41% Viscose

- * A stain repellent finish prevents water based splashes penetrating and staining the material.
- * Periodic vacuuming is recommended to prevent dust from building up on the materials surface.
- * GB 18585-2001 composition safety compliance, the product does not contain PVC, chlorine, plasticizers, heavy metals or harmful dyes in production.
- * Fire rating: ASTM E84 Class A and ES 13501 Class B available.
- * Despite all efforts, we cannot guarantee the accuracy of colors and sheen effects on your screen.
- * The display of color depends on the settings, resolution and on the light of the surroundings.

TEXTILE WOVEN WALLCOVERING COLLECTION



ANB DECOR



www.anbdecor.com